



Instruktionsbok - Manual
MULTIFLEX T712 SOT 6xSC DUPLEX
11470080




71570400 x1



70900307 x2



70900304 x2



71345057 x21



71400407 x1




71310040 x1

Ingående material
Sida 1-7



71345017 **x1**



71345022 **x1**




51360010 **x1**




71345232 **x2**




71570403 x1



71570404 x1



11348895 x6



71345348 x1



70900301 x4




70902810 **x2**



70900306 **x2**




71570402 **x2**



71570401 **x1**




71345232 **x2**



11478175 x1




11478190 x1




71570400 x1





71345380 x1






71470722 x1































Tillbehör - Accessories




KIT 1 (11408250)
Dukthållare 7-5mm
Ductholder 7-5mm




KIT 2 (11408251)
Dukthållare 7mm
Ductholder 7mm
(Kompatibel med insats 11408252-53)
(Compatible with adapter 11408252-53)




KIT 3
Insats 3mm Dukthållare
Adapter 3mm Duchtholder
11408252



KIT 4
Insats 5mm Dukthållare
Adapter 5mm Duchtholder
11408253





KIT 5

Dukthållare 7mm T2/T712

Ductholder 7mm T2/T712

11408254




Multikassett för optofiber (2-pack)
Multicassete fibre organizer, 2-p
11202202




Fiberfixeringsverktyg – Multicassette tool
11216040

Montering - Assembling



KIT 1

Dukthållare 7-5mm
Ductholder 7-5mm




KIT 2-3-4

Dukthållare 7mm (Ductholder 7mm)

Insats 3mm Dukthållare (Adapter 3mm Ductholder)


Insats 5mm Dukthållare (Adapter 5mm Ductholder)




KIT 5

Dukthållare 7mm T2/T712
(Ductholder 7mm T2/T712)

Kabeldragning - Cable routing







Kabeldragning

Avstånd från kabelintag till svetspunkt i kassett med 2 slingvarv i skåpets botten samt 2 slingvarv i kassetten är totalt 4.2m

Cable routing

The distance from the intake point to the protection sleeve with two laps of fiber stored at the bottom of the cabinet and two laps of fiber stored inside the cassette has a total length of 4.2m.

Galleri -

