

# Joint Closure TBK16



## Part no.

11100950

## Distribution point up to 16 standard cables

**Joint Closure T240-TBK16** facilitates mid-span access without the need to cut and re-splice all the fibres in the cable. The closure is delivered with one oval cable inlet and two pre-sealed ports, ID 25 mm, and 14 pre-sealed ports, ID 16 mm. The closure is equipped with cable strength member clamps, splice protectors and Multicassette. Joint Closure TBK16 is available in two different sizes, depending on the total number of fibres to be spliced and the number of fibres per cassette.

The number of fibres will determine the number of cassettes to be used. Please choose a suitable joint closure for your fibre cables as specified in the table below. Brackets for attachment on walls, racks, in manholes or on poles, are available as options and ordered separately.

Together with a locking cap, the closure can easily be locked with a padlock. The closure TBK16 is delivered with heat shrink tube + branch-off clip for the oval inlet and with the articles specified in the table basic configuration.



## Configuration TBK16 12, 24, 48 or 72 f / cassette

| Part number | TBK16 12 Fibre         | No. of cassettes | No. of splice protectors |
|-------------|------------------------|------------------|--------------------------|
| 11160991    | T240/150 TBK16 12/12F  | 1                | 12                       |
| 11160992    | T240/150 TBK16 48/12F  | 4                | 50                       |
| 11160993    | T240/200 TBK16 120/12F | 10               | 125                      |

| Part number | TBK16 24 Fibre         | No. of cassettes | No. of splice protectors |
|-------------|------------------------|------------------|--------------------------|
| 11160994    | T240/150 TBK16 24/24F  | 1                | 25                       |
| 11160995    | T240/150 TBK16 96/24F  | 4                | 100                      |
| 11160996    | T240/200 TBK16 240/24F | 10               | 250                      |

| Part number | TBK16 48 Fibre         | No. of cassettes | No. of splice protectors |
|-------------|------------------------|------------------|--------------------------|
| 11161031    | T240/150 TBK16 48/48F  | 1                | 50                       |
| 11161034    | T240/150 TBK16 192/48F | 4                | 200                      |
| 11161037    | T240/200 TBK16 480/48F | 10               | 500                      |

| Part number | TBK16 72 Fibre         | No. of cassettes | No. of splice protectors |
|-------------|------------------------|------------------|--------------------------|
| 11161041    | T240/150 TBK16 72/72F  | 1                | 75                       |
| 11161044    | T240/150 TBK16 288/72F | 4                | 300                      |
| 11161047    | T240/200 TBK16 720/72F | 10               | 725                      |

## Basic configuration

|                                           |
|-------------------------------------------|
| Lid 240/150/200                           |
| Support sleeve 240                        |
| O-ring 239.1x8 EPDM                       |
| V-clamp 240                               |
| Interior fittings                         |
| Cable tie 100x2.5mm                       |
| Nut Nylock M6 Din 985 A-4                 |
| Washer 6.4x18x1.6                         |
| Silica gel 10 g                           |
| Heat shrink 50/16, L = 200 mm             |
| Branch -off clip                          |
| Wellbox 240/150/200                       |
| Instruction T240 Swedish/English          |
| Instruction Multicassette and Emery cloth |

---

## Multicassette

| Product                                      | Part no.   |
|----------------------------------------------|------------|
| Multicassette fibre organizer 36f/72f, 2-pcs | 11 202 202 |
| Multicassette fibre organizer 48f, 2-pcs     | 11 202 204 |

---

## Cable sealings – Mechanical

| Product                          | Part no.   |
|----------------------------------|------------|
| Cable sealing TKN-O 4x 5.0-7.0mm | 11 212 851 |
| Cable sealing TKN-O 2x 5.5-7.2mm | 11 212 852 |
| Cable sealing TKN-O 4x 6.5-8.5mm | 11 212 853 |
| Cable sealing TKN-O 4x 7.7-9.5mm | 11 212 854 |
| Cable sealing TKN-O 2x 10-12mm   | 11 212 855 |

---

## Optional accessories

| Part No. | Type               |
|----------|--------------------|
| 11214029 | Bracket for TB/TBK |

---

## Accessories & tools

| Product                                      | Part no.   |
|----------------------------------------------|------------|
| Multicassette fibre organizer 36f/72f, 2-pcs | 11 202 202 |
| Tool kit Telecombox                          | 11 216 020 |
| Pressure test kit T240                       | 11 216 115 |
| Work holder TB/TBK                           | 11 216 122 |
| Locking cap for padlock                      | 11 218 056 |
| SPA entrance kit                             | 11 218 340 |
| Shrink tube 34/8-200mm                       | 11 219 159 |