

ODFlex Shallow



Artikelnummer

11400650-11400655

ODFlex 19" Shallow is delivered with a pull-out front drawer and a removable lid, making it easier to install fibers and clean connectors. The ODF comes with a front panel for connector types SCD, SCE, and LCQ, and the front panel is clearly numbered with arrows for easier connector orientation.

It comes with combs for fiber protection sleeves and pre-mounted fiber holders for fiber loops or prepared for use with a cassette solution. Cable connection and strain relief can be made from the right or left at the rear of the ODF.

Mounting points for fan-out and splitter sleeves are located at the rear of the pull-out fiber tray.

The fiber tray is equipped with a mechanical safety stop when pulled out but can also be easily lifted out of the base upwards.

Capacity: Up to 96 fibers

Mounting:

Cabinet or rack mounting, 19" bracket integrated into the product.

Dimensions:

Height unit: 1U / 2U

Width unit: 19"

Depth: 230mm without protective cover, 250mm with protective cover.



Material:

Powder-coated steel sheet, contact field in stainless steel.

Color code: RAL 9010 glossy.

Multicassette not included

Konfigurering

Artikelnummer	Utförande	E-nummer	vikt
11400650	ODF Shallow 24xSCD 1-48	5055341	3,09kg
11400651	ODF Shallow 24xLCQ 1-96	5055342	3,09kg
11400655	ODF Shallow 2U 48xSCD 1-96	5055343	-

Tillbehör och verktyg

Product	Artikelnummer
Multicassette tool	11 216 040
Tool to remove SCD adapter	11 216 045
Blanking plug SC simplex	11 348 010
Blanking plug SC duplex	11 348 020
Cablemodule 19" 1U	11 419 295
Cableguide 19" 1U	11 419 297

Mellanstycken och fiberkablage

Product	Artikelnummer
Blanking plug SC simplex	11 348 010
Blanking plug SC duplex	11 348 020
Adapter LC/APC Quad -E	11 348 887
Adapter SC/APC Duplex -E	11 348 894
Adapter SC/UPC Duplex -E	11 348 895
Adapter LC/UPC Duplex -E	11 348 896
Adapter LC/UPC Quad -E	11 348 898
Adapter SC/UPC Simplex -E	11 348 899
SM SC/APC-SC/APC 2,0mm 2m -E	11 349 761
SM SC/APC-SC/APC 2,0mm 4m -E	11 349 762
SM SC/UPC-SC/UPC 2,0mm 2m -E	11 349 763
SM SC/UPC-SC/UPC 2,0mm 4m -E	11 349 764
SM LC/UPC-LC/UPC 2,0mm 2m -E	11 349 765
SM LC/UPC-LC/UPC 2,0mm 4m -E	11 349 766
SM SC/APC 0,9 L=2m -E	11 349 767
SM LC/UPC 0,9 L=2m -E	11 349 768
Pigtail LC APC 2m 0,9mm -E	11 349 805
Pigtail SC/UPC SM, 0.9mm 2m -E	11 349 808
